

NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

CRC Zinc It Aerosol

INGREDIENTS	CAS NO	%	TWA
toluene	108-88-3	5-20	188 mg/m3
xylene	1330-20-7	5-20	217 mg/m3
LPG (liquefied petroleum gas)	68476-85-7.	10-30	1800 mg/m3
zinc powder	7440-66-6	20-40	3 mg/m3

GHS **DG**



UN No: **1950**
 Hazchem Code: **Not Applicable**
 DG Class: **2.1**
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**

HEALTH HAZARD INFORMATION



Determined by Chemwatch using GHS/HSNO criteriaGazetted by EPA New Zealand	2.1.2A, 6.1D (oral), 6.3A, 6.4A, 6.8B, 6.9B, 9.1A, 9.1D, 9.3C
Signal word:	Danger
Hazard statement(s):	H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H413 May cause long lasting harmful effects to aquatic life. H433 Hazardous to terrestrial vertebrates. H222 Extremely flammable aerosol.

PRECAUTIONS FOR USE

	Glasses: Consider chemical goggles.
	Gloves: 1.PE/EVAL/PE 2.PVA 3.VITON
	Respirator: Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
	Storage and Transportation: Store in cool, dry, protected area. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from heat. Keep away from sources of ignition. No smoking.
	Fire/Explosion Hazard: HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES



Liquid. Gas. Does not mix with water. Sinks in water. Extremely flammable.

EMERGENCY



FIRST AID

Swallowed:	Do NOT give milk or oil. Do NOT give alcohol.
Skin:	Wash with soap & water. Apply cleansing cream.
Advice To Doctor:	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin. Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin. Decontaminate if necessary. CaNa2EDTA is the chelator of choice.
Fire Fighting:	Keep containers cool. Foam.
Spills and Disposal:	Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together

0 — May be stored together with specific precautions

+ — May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.